

10030036-001002
JC14 Rec'd PCT/PTO 03 JAN 2002

FORM PTO-1390 (REV. 9-2001)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER 017769-000600US	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				U.S. APPLICATION NO. (if known, see 37 CFR 1.5) 10/030036	
INTERNATIONAL APPLICATION NO. PCT/EP00/06350		INTERNATIONAL FILING DATE 04/07/00		PRIORITY DATE CLAIMED 05/07/99	
TITLE OF INVENTION TANDEM CELL FOR WATER CLEAVAGE BY VISIBLE LIGHT					
APPLICANT(S) FOR DO/EO/US Michel Grätzel, Jan Augustynski					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
<p>1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.</p> <p>2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 36 U.S.C. 371.</p> <p>3. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f). The submission must include items (5), (6), (9) and (21) indicated below.</p> <p>4. <input checked="" type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31).</p> <p>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 37(c)(2))</p> <p>a. <input type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau).</p> <p>b. <input checked="" type="checkbox"/> has been communicated by the International Bureau</p> <p>c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US).</p> <p>6. <input checked="" type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).</p> <p>a. <input checked="" type="checkbox"/> is attached hereto.</p> <p>b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4).</p> <p>7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)).</p> <p>a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau).</p> <p>b. <input type="checkbox"/> have been communicated by the International Bureau.</p> <p>c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired.</p> <p>d. <input checked="" type="checkbox"/> have not been made and will not be made.</p> <p>8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)).</p> <p>9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).</p> <p>10. <input checked="" type="checkbox"/> An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</p> <p>Items 11 to 20 below concern document(s) or information included:</p> <p>11. <input checked="" type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.</p> <p>12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.</p> <p>13. <input checked="" type="checkbox"/> A FIRST preliminary amendment.</p> <p>14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.</p> <p>15. <input type="checkbox"/> A substitute specification.</p> <p>16. <input type="checkbox"/> A change of power of attorney and/or address letter.</p> <p>17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.</p> <p>18. <input type="checkbox"/> A second copy of the published international application under 36 U.S.C.</p> <p>19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).</p> <p>20. <input checked="" type="checkbox"/> Other items or information: International Search Report, ADS,</p>					

531 Rec'd PCT 03 JAN 2002

US/ Application no (if known) 10/030036		INTERNATIONAL APPLICATION NO PCT/EP00/06350		ATTORNEY'S DOCKET NUMBER 017769-000600US																																																																																										
21. <input checked="" type="checkbox"/> The following fees are submitted:				CALCULATIONS PTO USE ONLY																																																																																										
BASIC NATIONAL FEE (37 CFR 1.492(A) (1) - (5)): Neither international preliminary examination fee (37 CFR 1.492) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1040.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search report prepared by the EPO of JPO \$890.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)(4) \$100.00																																																																																														
ENTER APPROPRIATE BASIC FEE AMOUNT =																																																																																														
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).																																																																																														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">CLAIMS</th> <th style="width: 20%;">NUMBER FILED</th> <th style="width: 20%;">NUMBER EXTRA</th> <th style="width: 20%;">RATE</th> <th style="width: 20%;">\$</th> </tr> </thead> <tbody> <tr> <td>Total claims</td> <td>8 - 20 =</td> <td></td> <td>x \$18.00</td> <td>\$</td> </tr> <tr> <td>Independent claims</td> <td>1 - 3 =</td> <td></td> <td>x \$84.00</td> <td>\$</td> </tr> <tr> <td colspan="3">MULTIPLE DEPENDENT CLAIM(S) (if applicable)</td> <td>+ 280.00</td> <td>\$</td> </tr> <tr> <td colspan="4" style="text-align: right;">TOTAL OF ABOVE CALCULATIONS =</td> <td>\$</td> </tr> <tr> <td colspan="4"> <input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2. </td> <td>\$</td> </tr> <tr> <td colspan="4" style="text-align: right;">SUBTOTAL =</td> <td>\$</td> </tr> <tr> <td colspan="4"> Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFT 1.492(f)). </td> <td>\$</td> </tr> <tr> <td colspan="4" style="text-align: right;">TOTAL NATIONAL FEE =</td> <td></td> </tr> <tr> <td colspan="4"> Fee for recording the enclosed assignment (37 CFR 1.2(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property + </td> <td>\$</td> </tr> <tr> <td colspan="4" style="text-align: right;">TOTAL FEES ENCLOSED =</td> <td>\$890.00</td> </tr> <tr> <td colspan="4"></td> <td style="text-align: right;">Amount to be refunded:</td> <td>\$</td> </tr> <tr> <td colspan="4"></td> <td style="text-align: right;">charged:</td> <td>\$</td> </tr> <tr> <td colspan="6"> a. <input type="checkbox"/> A check in the amount of \$_____ to cover the above fees is enclosed. b. <input checked="" type="checkbox"/> Please charge my Deposit Account No. <u>20-1430</u> in the amount of <u>\$890.00</u> to cover the above fees. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>20-1430</u>. A duplicate copy of this sheet is enclosed. d. <input type="checkbox"/> Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038. </td> </tr> <tr> <td colspan="6"> NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b) must be filed and granted to restore the application to pending status. </td> </tr> <tr> <td colspan="4"> SEND ALL CORRESPONDENCE TO: J. Georg Seka Townsend and Townsend and Crew, LLP Two Embarcadero Center, Suite 800 San Francisco, CA. 94111-3834 </td> <td colspan="2"> <div style="text-align: center;"> SIGNATURE </div> <div style="text-align: center;"> <u>01/03/02</u> DATE </div> <div style="text-align: center;"> <u>J. GEORG SEKA</u> NAME </div> </td> </tr> <tr> <td colspan="4"></td> <td colspan="2" style="text-align: center;"> <u>24,491</u> REGISTRATION NUMBER </td> </tr> </tbody></table>						CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$	Total claims	8 - 20 =		x \$18.00	\$	Independent claims	1 - 3 =		x \$84.00	\$	MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ 280.00	\$	TOTAL OF ABOVE CALCULATIONS =				\$	<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				\$	SUBTOTAL =				\$	Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFT 1.492(f)).				\$	TOTAL NATIONAL FEE =					Fee for recording the enclosed assignment (37 CFR 1.2(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$	TOTAL FEES ENCLOSED =				\$890.00					Amount to be refunded:	\$					charged:	\$	a. <input type="checkbox"/> A check in the amount of \$_____ to cover the above fees is enclosed. b. <input checked="" type="checkbox"/> Please charge my Deposit Account No. <u>20-1430</u> in the amount of <u>\$890.00</u> to cover the above fees. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>20-1430</u> . A duplicate copy of this sheet is enclosed. d. <input type="checkbox"/> Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.						NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b) must be filed and granted to restore the application to pending status.						SEND ALL CORRESPONDENCE TO: J. Georg Seka Townsend and Townsend and Crew, LLP Two Embarcadero Center, Suite 800 San Francisco, CA. 94111-3834				<div style="text-align: center;"> SIGNATURE </div> <div style="text-align: center;"> <u>01/03/02</u> DATE </div> <div style="text-align: center;"> <u>J. GEORG SEKA</u> NAME </div>					
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$																																																																																										
Total claims	8 - 20 =		x \$18.00	\$																																																																																										
Independent claims	1 - 3 =		x \$84.00	\$																																																																																										
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ 280.00	\$																																																																																										
TOTAL OF ABOVE CALCULATIONS =				\$																																																																																										
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				\$																																																																																										
SUBTOTAL =				\$																																																																																										
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFT 1.492(f)).				\$																																																																																										
TOTAL NATIONAL FEE =																																																																																														
Fee for recording the enclosed assignment (37 CFR 1.2(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$																																																																																										
TOTAL FEES ENCLOSED =				\$890.00																																																																																										
				Amount to be refunded:	\$																																																																																									
				charged:	\$																																																																																									
a. <input type="checkbox"/> A check in the amount of \$_____ to cover the above fees is enclosed. b. <input checked="" type="checkbox"/> Please charge my Deposit Account No. <u>20-1430</u> in the amount of <u>\$890.00</u> to cover the above fees. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>20-1430</u> . A duplicate copy of this sheet is enclosed. d. <input type="checkbox"/> Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.																																																																																														
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b) must be filed and granted to restore the application to pending status.																																																																																														
SEND ALL CORRESPONDENCE TO: J. Georg Seka Townsend and Townsend and Crew, LLP Two Embarcadero Center, Suite 800 San Francisco, CA. 94111-3834				<div style="text-align: center;"> SIGNATURE </div> <div style="text-align: center;"> <u>01/03/02</u> DATE </div> <div style="text-align: center;"> <u>J. GEORG SEKA</u> NAME </div>																																																																																										
				<u>24,491</u> REGISTRATION NUMBER																																																																																										

10/030036
531 Rec'd PCT/PTO 03 JAN 2002

Attorney Docket No. 017769-000600US
Client Reference No.: TACEL 6 209 PC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. National Phase of:
PCT/EP00/06350

Michel Graetzel, et al.

Application No.: Not yet assigned

Filed: Herewith

For: TANDEM CELL FOR WATER
CLEAVAGE BY VISIBLE LIGHT

PRELIMINARY AMENDMENT

San Francisco, CA 94111
January 3, 2002

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to the examination of the above-referenced application, please enter the following amendments and remarks.

IN THE ABSTRACT:

Please substitute the following amended, clean version of the Abstract (a marked-up version of the changes to the Abstract is attached to this Amendment):

TANDEM CELL FOR WATER CLEAVAGE BY VISIBLE LIGHT

ABSTRACT OF THE DISCLOSURE

The tandem cell or photoelectrochemical system for the cleavage of water to hydrogen and oxygen by visible light consisting of two superimposed photocells, both cells being connected electrically. The photoactive material in the top cell is a semiconducting oxide placed in contact with an aqueous solution. This semiconducting oxide absorbs the blue and green part of the solar emission spectrum of a light source or light sources and generates with the energy collected oxygen and protons from water. The not absorbed yellow and red light transmits the top cell and enters a second photocell, the bottom cell, which is mounted, in the direction of the light behind, preferably directly behind the top cell. The bottom cell includes a dye sensitized mesoporous photovoltaic film. The bottom cell converts the yellow, red and near infrared portion of the sunlight to drive the reduction of the protons which are produced in the top cell during the photo catalytic water oxidation process, to hydrogen.

IN THE CLAIMS:

Please substitute the following amended, clean versions of the indicated claims (a marked-up version of the changes to the claims is attached to this Amendment):

3. (amended) A photoelectrochemical system according to claim 1, characterized in that the photoactive oxide material present in the top cell is a doped form of Fe_2O_3 , the dopant being selected from the elements Si, Ge, Sn, Pb, Ti, Zr, Hf, Sb, Bi, V, Nb, Ta, Mo, Tc, and Re or F, Cl, Br and I.
4. (amended) A photoelectrochemical system according to claim 1, characterized in that the photoactive Fe_2O_3 in the doped or undoped form is present as a smooth layer, said layer having a thickness between 50 nm and 5000 nm said layer transmitting light of wavelength above 600 nm.
5. (amended) A photo electrochemical system according to claim 1, characterized in that the sensitizer is a ruthenium polypyridyl complex chosen from $\text{RuL}_2(\text{NCS})_2$ and $\text{RuL}'(\text{NCS})_3$, where $\text{L} = 4,4'$ -dicarboxy-2,2'-bipyridine and $\text{L}' = 4,4'$ -tricarboxy-2,2',6',2''-terpyridine.
6. (amended) A photoelectrochemical system according to claim 1, characterized in that the oxygen and hydrogen evolution reaction take place both in the top cell and/or in separated compartments, said compartments being connected by an ion conducting membrane or a glass frit.
7. (amended) A photoelectrochemical system according to claim 1, characterized in that the hydrogen evolution is catalyzed by a metal, chosen from Ni, Pt, Pd, Ru, Rh and Ir, or alternatively by a polyacid or heteropolyacid chosen from tungsten, vanadium and molybdenum, said catalyst being deposited in the form of a thin coating on the cathode of the cell.
8. (amended) A photoelectrochemical system according to claim 1, characterized in that seawater is used as a source for hydrogen and oxygen in the water cleavage or water splitting device.

Michel Graetzel
Application No. Not yet assigned
Page 3

REMARKS:

Claims 1-8 are pending.

Amendment is made to delete a minor informality in the Abstract, and to eliminate all multiple dependencies from the claims, thereby avoiding the need to pay the multiple dependent surcharge.

Respectfully submitted,


J. Georg Seka
Reg. No. 24,491

TOWNSEND and TOWNSEND and CREW LLP
Two Embarcadero Center, 8th Floor
San Francisco, California 94111-3834
Tel: (415) 576-0200
Fax: (415) 576-0300
JGS/dxm

MARKED-UP VERSION OF THE CHANGES TO THE ABSTRACT

[Abstract] ABSTRACT OF THE DISCLOURE

The tandem cell or photoelectrochemical system for the cleavage of water to hydrogen and oxygen by visible light consisting of two superimposed photocells, both cells being connected electrically. The photoactive material in the top cell is a semiconducting oxide placed in contact with an aqueous solution. This semiconducting oxide absorbs the blue and green part of the solar emission spectrum of a light source or light sources and generates with the energy collected oxygen and protons from water. The not absorbed yellow and red light transmits the top cell and enters a second photocell, the bottom cell, which is mounted, in the direction of the light behind, preferably directly behind the top cell. The bottom cell includes a dye sensitized mesoporous photovoltaic film. The bottom cell converts the yellow, red and near infrared portion of the sunlight to drive the reduction of the protons which are produced in the top cell during the photo catalytic water oxidation process, to hydrogen.

[(Fig. 1)]

MARKED-UP VERSION OF THE CHANGES TO THE CLAIMS

3. (amended) A photoelectrochemical system according to [claim 1 or 2] claim 1, characterized in that the photoactive oxide material present in the top cell is a doped form of Fe_2O_3 , the dopant being selected from the elements Si, Ge, Sn, Pb, Ti, Zr, Hf, Sb, Bi, V, Nb, Ta, Mo, Tc, and Re or F, Cl, Br and I.

4. (amended) A photoelectrochemical system according to [claim any of claims 1 to 3] claim 1, characterized in that the photoactive Fe_2O_3 in the doped or undoped form is present as a smooth layer, said layer having a thickness between 50 nm and 5000 nm said layer transmitting light of wavelength above 600 nm.

5. (amended) A photo electrochemical system according to [any of claims 1-4] claim 1, characterized in that the sensitizer is a ruthenium polypyridyl complex chosen from $\text{RuL}_2(\text{NCS})_2$ and $\text{RuL}'(\text{NCS})_3$, where $\text{L} = 4,4'$ -dicarboxy-2,2'-bipyridine and $\text{L}' = 4,4'4''$ -tricarboxy-2,2',6',2''-terpyridine.

6. (amended) A photoelectrochemical system according to [any of claims 1-5] claim 1, characterized in that the oxygen and hydrogen evolution reaction take place both in the top cell and/or in separated compartments, said compartments being connected by an ion conducting membrane or a glass frit.

7. (amended) A photoelectrochemical system according to [any of claims 1-6] claim 1, characterized in that the hydrogen evolution is catalyzed by a metal, chosen from Ni, Pt, Pd, Ru, Rh and Ir, or alternatively by a polyacid or heteropolyacid chosen from tungsten, vanadium and molybdenum, said catalyst being deposited in the form of a thin coating on the cathode of the cell.

8. (amended) A photoelectrochemical system according to [any of claims 1-7] claim 1, characterized in that seawater is used as a source for hydrogen and oxygen in the water cleavage or water splitting device.

3/PRTS

5

10

TACEL 6 209 PCT

École Polytechnique Fédérale de Lausanne, SRI, CH-1015 Lausanne, Suisse

15

TANDEM CELL FOR WATER CLEAVAGE BY VISIBLE LIGHT

The invention is related to a photoelectrochemical system for the cleavage of water to hydrogen and oxygen according to the preamble of the independent claim 1.

20

Previous systems that accomplish the direct splitting of water by visible light with a comparably high efficiency employ very expensive single crystal semiconductor materials. For details see O.Khaselev and J.Turner, Science 280, 1998, 455).

Therefore these previous systems are not suitable for practical applications to produce hydrogen and oxygen from sunlight.

25

According to the invention a photoelectrochemical system is characterized by the features of the characterizing part of the independent claim 1. The depending claims are related to particularly favorable embodiments of the invention. The improved photoelectrochemical system provides for photoelectrochemical tandem cells that show

30

a considerably high efficiency. Further the photoelectrochemical system can be manufactured at relatively low cost. A further advantage of the present invention is that seawater can be used for the process instead of pure water.

Description of the invention, device structure.

In the following the invention will now be described by way of example and with
5 reference to the accompanying drawings that show the following:

Fig. 1 shows a schematic drawing of the water photolysis device that is the
object of the present invention.

10 Fig. 2 shows the spectral dependency of the photon-to electric current
conversion achieved with the sensitized TiO_2 films for several
ruthenium complexes; it shows the incident photon to current
conversion efficiencies obtained with various sensitizer;


15 Fig. 3 shows an energy level diagram that illustrates the functioning of the
tandem cell; it shows the Z scheme of biphotonic water photolysis

A schematic representation of the water photolysis device, that is the object of the
present invention is described is illustrated in Fig. 1. The device consists of two photo
20 systems connected in series. The cell on the left contains the aqueous electrolyte that is
subjected to water photolysis. The electrolyte is composed of water as a solvent to
which an electrolyte has been added for ionic conduction. Saline seawater can also be
used as a water source in which case the addition of electrolyte becomes superfluous.
Light enters from the left side of the cell through a glass window (1). After traversing
25 the electrolyte (2) it impinges on the back wall of the cell constituted by a mesoporous
semiconductor film composed of an oxide such as WO_3 or Fe_2O_3 (3), The latter is
deposited onto a transparent conducting oxide film (4), made from a material such as
fluorine doped tin dioxide that serves as current collector which is deposited on the
glass sheet (1). The oxide absorbs the blue and green part of the solar spectrum while
30 the yellow and red light is transmitted through it. The yellow and red part of the solar
spectrum is captured by a second cell mounted behind the back wall of the first cell.
The second cell contains a dye sensitized mesoporous TiO_2 film. Its functions as a


- 3 -

light driven electric bias increasing the electrochemical potential of the electrons that emerge from the WO₃ film under illumination to render the reduction of water to hydrogen possible. It consists of a transparent conducting oxide film (4) deposited on the back side of the glass sheet (1) constituting the back wall of the first cell. The conducting oxide film is covered by the dye-derivatized nanocrystalline titania film (6). The latter is in contact with the organic redox electrolyte (7) and the counter electrode (8) consisting of a glass which is rendered conductive on the side of the organic electrolyte by deposition of a transparent conductive oxide layer. Behind the counterelectrode there is a second compartment (9) containing an aqueous electrolyte of the same composition as in the front compartment (2). Hydrogen is evolved at the cathode (10) which is immersed in this second electrolyte compartment. The two electrolyte compartments (2) and (10) have the same composition and are separated by an ion conducting membrane or a glass frit (11).

We shall now discuss a specific embodiment of such a tandem device achieving the direct cleavage of water into hydrogen and oxygen by visible light. A thin film of nanocrystalline tungsten trioxide absorbs the blue part of the solar spectrum.




The valence band holes (h⁺) created by band gap excitation of the oxide serve to oxidize water forming oxygen and protons:



while the conduction band electrons are collected on the conducting glass support forming the back wall of the first photocell. From there on they are fed into the second photocell that consists of a dye sensitized nanocrystalline TiO₂ film. The latter is mounted directly behind the WO₃ film capturing the green and red part of the solar spectrum that is transmitted through the top electrode. The role of the second photocell is merely that of a photo driven bias. The electrochemical potential of the electrons is


- 4 -

sufficiently increased by passing through the second photocell that they can reduce the protons produced during water oxidation to hydrogen.



5

The overall reaction corresponds to the splitting of water by visible light.



Semiconducting oxides, such as WO_3 and Fe_2O_3 are the materials of choice for the photo-anode as they are stable under operation resisting to both dark and photo corrosion. Tungsten trioxide and ferric oxide are so far the only known and readily available oxide semiconductors that are capable of producing oxygen using visible light. The electrons generated in the oxide are collected by the conducting glass and are subsequently fed into a second photocell that is placed directly behind the oxide film.

The photo-active element of this second cell is a dye sensitized mesoporous TiO_2 capturing the yellow and red light that is transmitted through the oxide electrode. It serves as a photo- driven bias increasing the electrochemical potential of the photoelectrons produced by band gap excitation of the oxide to render reduction of water to hydrogen feasible.

20

Fig. 2 presents the spectral dependency of the photon-to electric current conversion achieved with the sensitized TiO_2 films for several ruthenium complexes. Very high efficiencies of current generation, exceeding 75% are obtained. When corrected for the inevitable reflection and absorption losses in the conducting glass that serves to support the film the yields are practically 100 percent. For the dyes $\text{RuL}_2(\text{SCN})_2$ and $\text{RuL}'(\text{SCN})_3$ the photo-response of the film extends well into the red and near infrared part of the spectrum making these complexes an appropriate choice for the harvesting of the red and yellow part of sun light by the second photocell in the tandem system .

30

The functioning of the tandem cell is further illustrated by the energy level diagram shown in Fig. 3. There is close analogy to the Z-scheme operative in the light reaction in green plants in which the two photo systems are connected in series, one affording

- 5 -

oxidation of water to oxygen and the other generating the NADPH used in CO₂ fixation. At this stage of development the overall AM 1.5 solar light to chemical conversion efficiency achieved stands at 5 %.

5

Working Example

The preparation of transparent mesoporous WO₃ films of a few micron thickness has been achieved via a sol-gel type process. A colloidal WO₃ precursor solution was
10 prepared first and after mixing with polyvinyl alcohol, films were deposited on conducting glass (Nippon Sheet Glass, 10 ohm/o, fluorine-doped SnO₂ glass (TCO)) surface. In order to supply the bias necessary to reach the plateau photocurrent, two in series connected sensitized mesoporous TiO₂ injection cells were placed under the transparent WO₃ film. This configuration reached a photocurrent of 3.5 mA/cm² for
15 hydrogen generation in simulated AM 1.5 sunlight. This corresponds to an overall solar to chemical conversion efficiency of 5 % for light induced water cleavage by AM 1.5 standard sunlight.

This example illustrates the successful operation of the tandem device which is the
20 object of the present invention. It is based on two superimposed photocells having complementary light absorption in the visible and near infrared range according to the embodiment described in the patent disclosure. Such a tandem cell accomplishes the splitting of water into hydrogen and oxygen by visible light directly rendering the use of a separate electrolysis cell superfluous. Thus it is preferred over alternative systems
25 where traditional photovoltaic cells, such as silicon solar cells are used in conjunction with a water electrolyzer. The present invention renders the water electrolyzer superfluous reducing the cost of the water splitting device substantially. Apart from the cost there it is also advantageous from the operational point of view. In the conventional photoelectrolysis systems based on the combination of silicon solar cells
30 with a water electrolyzer, several photovoltaic cells have to be connected in series to yield the voltage of about 1.7 V required for the operation of the water electrolyzer. Furthermore each of the photovoltaic cells should operate at its optimum power point

- 6 -

to keep losses low and the efficiency high. However as the power point fluctuates according to the intensity and spectral distribution of the incident solar radiation one needs to install a very complicated system that changes the number of in series connected cells in response to the meteorological conditions. This renders the system expensive and its operation complex. In contrast the tandem cell described by the present invention operates at practically the same efficiency irrespective of the intensity and spectral distribution of the incident solar light.

The additional advantage of the present invention is that it uses low cost materials, the semiconductor layers employed being made from cheap and readily available oxide films having a mesoporous morphology. The tandem cell exhibits an overall conversion efficiency of 5 % for the photo cleavage of water into hydrogen and oxygen.

A further advantage of the present invention is that seawater can be employed instead of pure water. The salt contained in seawater produces the ionic conductivity required for operating the water cleavage device. This saves the cost for desalination of the water and for providing the electrolyte supplement which is required if pure water is employed in the electrolyzer.

The invention relates to a tandem device based on two superimposed photocells having complementary light absorption in the visible and near infrared range. Such a tandem cell accomplishes the splitting of water into hydrogen and oxygen by visible light directly rendering the use of a separate electrolysis cell superfluous. The additional advantage of the present invention is that it uses low cost materials, the semiconductor layers employed being made from cheap and readily available oxide films having a mesoporous morphology. The tandem cell exhibits an overall conversion efficiency of 5 % for the photo cleavage of water into hydrogen and oxygen.

The tandem cell or photoelectrochemical system for the cleavage of water to hydrogen and oxygen by visible light consisting of two superimposed photocells, both cells being connected electrically. The photoactive material in the top cell is a semiconducting oxide placed in contact with an aqueous solution. This semiconducting oxide absorbs

- 7 -

the blue and green part of the solar emission spectrum of a light source or light sources and generates with the energy collected oxygen and protons from water. The not absorbed yellow and red light transmits the top cell and enters a second photocell, the bottom cell, which is mounted, in the direction of the light behind, preferably directly behind the top cell. The bottom cell includes a dye sensitized mesoporous photovoltaic film. The bottom cell converts the yellow, red and near infrared portion of the sunlight to drive the reduction of the protons which are produced in the top cell during the photo catalytic water oxidation process, to hydrogen.

Although the use of the photoelectrochemical system with the tandem cell according to the invention can be most advantageously used with sun light, it can be driven with the light of any light source or light sources that emit light of the required frequencies.

The reference numbers used in Fig. 1 denominate the following:

- 1 Glass sheet
- 2 Aqueous electrolyte
- 3 Mesoporous oxide film, e.g., WO_3 Fe_2O_3
- 4 Transparent conducting oxide (TCO) film
- 5 Electrical connection
- 6 Dye sensitized mesoporous TiO_2 film
- 7 Organic redox electrolyte for dye sensitized solar cell (DYSC), used in tandem
- 8 Counter electrode for DYSC
- 9 Aqueous electrolyte (same composition as 2)
- 10 Catalytic cathode for H_2 evolution
- 11 Glass frit

Claims

1. A photoelectrochemical system for the cleavage of water to hydrogen and oxygen by visible light consisting of two superimposed photocells, both cells being connected electrically, characterized in that the photoactive material in the top cell is a semiconducting oxide placed in contact with an aqueous solution, said oxide absorbing the blue and green part of the solar emission spectrum to generate oxygen and protons from water and transmitting the yellow and red light to a second photocell mounted behind the top cell and composed of a dye sensitized mesoporous photovoltaic film, said bottom cell converting the yellow, red and near infrared portion of the sunlight to drive the reduction of the protons, produced in the top cell during the photo catalytic water oxidation process, to hydrogen.
2. A photoelectrochemical system for the direct cleavage of water to hydrogen and oxygen by visible light according to claim 1, consisting of two superimposed photocells, both cells being connected electrically, wherein the photoactive material present in the top photocell is a thin film of WO_3 or Fe_2O_3 deposited on a conducting substrate or conducting glass and placed in contact with an aqueous electrolyte solution, said WO_3 tungsten oxide or Fe_2O_3 iron oxide absorbing the blue and green part of the solar emission spectrum to generate oxygen and protons from water and transmitting the yellow and red light to a bottom photocell mounted behind the top photocell and composed of a dye sensitized photovoltaic film, said second photocell converting the yellow, red and near infrared portion of the solar emission spectrum to drive the reduction of the protons, produced in the top photocell during the water oxidation process, said reduction of protons to hydrogen gas taking place in an electrolyte compartment mounted behind the bottom photocell and being separated from the top photocell compartment where oxygen is evolved by a glass frit or an ion conducting membrane.

- 9 -

3. A photoelectrochemical system according to claim 1 or 2, characterized in that the photoactive oxide material present in the top cell is a doped form of Fe_2O_3 , the dopant being selected from the elements Si, Ge, Sn, Pb, Ti, Zr, Hf, Sb, Bi, V, Nb, Ta, Mo, Tc, and Re or F, Cl, Br and I.

5

4. A photoelectrochemical system according to claim any of claims 1 to 3, characterized in that the photoactive Fe_2O_3 in the doped or undoped form is present as a smooth layer, said layer having a thickness between 50 nm and 5000 nm said layer transmitting light of wavelength above 600 nm.

10

5. A photoelectrochemical system according to any of claims 1- 4, characterized in that the sensitizer is a ruthenium polypyridyl complex chosen from $\text{RuL}_2(\text{NCS})_2$ and $\text{RuL}'(\text{NCS})_3$, where $\text{L} = 4,4'$ -dicarboxy-2,2'-bipyridine and $\text{L}' = 4,4'4''$ -tricarboxy-2,2',6',2''-terpyridine.

15

6. A photoelectrochemical system according to any of claims 1-5, characterized in that the oxygen and hydrogen evolution reaction take place both in the top cell and/or in separated compartments, said compartments being connected by an ion conducting membrane or a glass frit.

20

7. A photoelectrochemical system according to any of claims 1 –6, characterized in that the hydrogen evolution is catalyzed by a metal, chosen from Ni, Pt, Pd, Ru, Rh and Ir ,or alternatively by a polyacid or heteropolyacid chosen from tungsten, vanadium and molybdenum., said catalyst being deposited in the form of a thin coating on the cathode of the cell.

25

8. A photoelectrochemical system according to any of claims 1-7, characterized in that seawater is used as a source for hydrogen and oxygen in the water cleavage or water splitting device.

30

Abstract

10/030036

The tandem cell or photoelectrochemical system for the cleavage of water to hydrogen and oxygen by visible light consisting of two superimposed photocells, both cells being
5 connected electrically. The photoactive material in the top cell is a semiconducting oxide placed in contact with an aqueous solution. This semiconducting oxide absorbs the blue and green part of the solar emission spectrum of a light source or light sources and generates with the energy collected oxygen and protons from water. The not
10 absorbed yellow and red light transmits the top cell and enters a second photocell, the bottom cell, which is mounted, in the direction of the light behind, preferably directly behind the top cell. The bottom cell includes a dye sensitized mesoporous photovoltaic film. The bottom cell converts the yellow, red and near infrared portion of the sunlight to drive the reduction of the protons which are produced in the top cell during the photo catalytic water oxidation process, to hydrogen.

15

(Fig. 1)

1 / 3





Fig. 1

Incident Photon to Current Conversion
Efficiencies Obtained with Various Sensitizers



$L' = 4,4',4''$ -tricarboxy-2,2', 6',2''-terpyridine

$L = 4,4'$ -dicarboxy-2,2'-bipyridine

Fig. 2

The Z scheme of biphotonic water photolysis




Fig. 3

**DECLARATION FOR UTILITY OR
DESIGN
PATENT APPLICATION
(37 CFR 1.63)**☐ Declaration
Submitted
With Initial
Filing

OR

☐ Declaration
Submitted after Initial
Filing (surcharge
(37 CFR 1.16(e))
required)

Attorney Docket Number

017769-000600US

First Named Inventor

Michel Graetzel, et al.

COMPLETE IF KNOWN

Application Number

10/030,036

Filing Date

10/30/02

Art Unit

Examiner Name

As the below named inventor, I hereby declare that:

My residence, mailing address, and citizenship are as stated below next to my name

I believe I am the original and first inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled

TANDEM CELL FOR WATER CLEAVAGE BY VISIBLE LIGHT

the specification of which

(Title of the Invention)

☐ is attached hereto

OR

☐ was filed on (MM/DD/YYYY)

as United States Application Number or PCT International

Application Number **Not yet assigned** and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or (f), or 365(b) of any foreign application(s) for patent, inventor's or plant breeder's rights certificate(s), or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent, inventor's or plant breeder's rights certificate(s), or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
PCT/EP00/06350 99810592 8	PCT	July 4, 2000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	EP	July 5, 1999	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box →



PTO/SB/81 (02-01)

Approved for use through 10/31/2002 OMB 0651-0035

U S Patent and Trademark Office, U S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

POWER OF ATTORNEY OR AUTHORIZATION OF AGENT	Application Number	10/030,036
	Filing Date	
	First Named Inventor	Grätzel Michael
	Title	Tandem Cell for Water Cleavage by Visible Light
	Group Art Unit	
	Examiner Name	
	Attorney Docket Number	117769-0006000US

I hereby appoint

☒ Practitioners at Customer Number

20350

Place Customer
Number Bar Code
Label hereOR
☐ Practitioner(s) named below

Name	Registration Number
J Georg Seka	24,491
James F Hann	29,719
Charles E Krueger	30,077
Kevin T LeMond	35,933

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith

Please change the correspondence address for the above-identified application to.

☐ The above-mentioned Customer Number

OR

☐ Practitioners at Customer Number

<input checked="" type="checkbox"/> Firm or Individual Name	J Georg Seka				
Address	Townsend & Townsend & Crew				
Address	Two Embarcadero Center, 8 th Floor				
City	San Francisco	State	CA	ZIP	94111
Country	US				
Telephone	415-576-0200	Fax	415-576-0300		

☒ Applicant/Inventor
☐ Assignee of record of the entire interest See 37 CFR 3.71
 Statement under 37 CFR 3.73(b) is enclosed (Form PTO/SB/96)
SIGNATURE of Applicant or Assignee of Record

Name	Jan Augustynski	Michael Gratzel
Signature		
Date	Datum 7.2.2002	Datum 3.2.2002

NOTE Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required
 Submit multiple forms if more than one signature is required, see below*

☒ *Total of 1 forms are submitted.

Burden Hour Statement This form is estimated to take 3 minutes to complete Time will vary depending upon the needs of the individual case
 Any Comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U S Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Assistant Commissioner for Patents, Washington, DC 20231.
 SF 1301348 v1

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DECLARATION — Utility or Design Patent ApplicationDirect all correspondence to ☒ Customer Number or Bar Code Label 20350 OR ☐ Correspondence address below

Name

Address

City

State

ZIP

Country

Telephone

Fax

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

NAME OF SOLE OR FIRST INVENTOR: ☐ A petition has been filed for this unsigned inventorGiven Name
(first and middle [if any])MICHAELFamily Name
or SurnameGRAETZELInventor's
SignatureMichael Graetzel

Date

21/12/2001

Residence: City

ST-SULPICE

State

CHX
VD

Country

CH

Citizenship

CH

Mailing Address

7A, CHEMIN DU KARQUISAT

City

ST-SULPICE

State

VD

ZIP

CH-1025

Country

CH

NAME OF SECOND INVENTOR:

☐ A petition has been filed for this unsigned inventorGiven Name
(first and middle [if any])Family Name
or SurnameInventor's
Signature

Date

Residence: City

State

Country

Citizenship

Mailing Address

City

State

ZIP

Country

☐ Additional inventors are being named on the _____ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto

DECLARATION

ADDITIONAL INVENTOR(S)

Supplemental Sheet

Page 3 of 3

200 Name of Additional Joint Inventor, if any:

☐ A petition has been filed for this unsigned inventor

JAN

Given
Name

AUGUSTYNSKI

Family Name
or SurnameInventor's
Signature

12/18/2001

Date

GENEVA

CHX

SWITZERLAND

polish

Residence: City

State

Country

Citizenship

30, quai ANSERMET

Mailing Address

Mailing Address

GENEVA

City

State

1211 GE 4
ZIPSWITZERLAND
Country

Name of Additional Joint Inventor, if any:

☐ A petition has been filed for this unsigned inventorGiven
NameFamily Name
or SurnameInventor's
Signature

Date

Residence: City

State

Country

Citizenship

Mailing Address

Mailing Address

City

State

ZIP

Country

Name of Additional Joint Inventor, if any:

☐ A petition has been filed for this unsigned inventorGiven
NameFamily Name
or SurnameInventor's
Signature

Date

Residence: City

State

Country

Citizenship

Mailing Address

Mailing Address

City

State

ZIP

Country

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231